

# ROCA Descaler Sachet / LAUFEN Cleanet descaling agent

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878  
SDS Reference Number: ctg\_0069\_rola  
Issue date: 4/14/2025 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : ROCA Descaler Sachet / LAUFEN Cleanet descaling agent  
UFI : TDPQ-Q61S-W00K-X2P6 (LAUFEN)  
6DPQ-S6TA-D00D-XHPF (ROCA)  
Product code : 010

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
Use of the substance/mixture : Descaler

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Distributor

LAUFEN CZ s.r.o  
V Tűnich 3 / 1637  
120 00 Praha 2  
Czech Republic  
T +420 515 204 204  
[product.support@cz.laufen.com](mailto:product.support@cz.laufen.com)

##### Distributor

ROCA SANITARIO S.A.  
Rambla Lluch 2  
08850 Gava – Barcelona  
Spain  
T +34 (0) 93 635 16 00  
[lopd@roca.net](mailto:lopd@roca.net)

#### 1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Germany	Vergiftungs-Informations-Zentrale Universitätsklinikum Freiburg, Zentrum für Kinder- und Jugendmedizin	Breisacher Str. 86b 79110 Freiburg	+49 (0) 761 19240	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290  
Skin corrosion/irritation, Category 2 H315  
Serious eye damage/eye irritation, Category 2 H319  
Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



# ROCA Descaler Sachet / LAUFEN Cleanet descaling agent

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

	GHS05
Signal word (CLP)	: Warning
Hazard statements (CLP)	: H290 - May be corrosive to metals. H315 - Causes skin irritation. H319 - Causes serious eye irritation. H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P308+P313 - IF exposed or concerned: Get medical advice/attention. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P501 - Dispose of contents/container to Collection point.
Child-resistant fastening	: Not applicable
Tactile warning	: Not applicable

### 2.3. Other hazards

Other hazards which do not result in classification : Aqueous solution. May cause burns.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sulphamidic acid; sulphamic acid; sulfamic acid	CAS-No.: 5329-14-6 EC-No.: 226-218-8 EC Index-No.: 016-026-00-0 REACH-no: 01-2119488633-28	> 75	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412
sodium carbonate	CAS-No.: 497-19-8 EC-No.: 207-838-8 EC Index-No.: 011-005-00-2 REACH-no: 01-2119485498-19	2.5 - 7	Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Brush off loose particles from skin. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.

# ROCA Descaler Sachet / LAUFEN Cleanet descaling agent

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth out with water. Do not induce vomiting. Obtain medical assistance.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: According to concentration, aqueous solution causes irritation or burns of eyes, skin and mucous membranes.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
Unsuitable extinguishing media	: None to our knowledge.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon oxides (CO, CO <sub>2</sub> ). Nitrogen oxides. Sulphur oxides.
--	---

### 5.3. Advice for firefighters

Firefighting instructions	: Knock down dust with water spray.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Do not allow run-off from fire-fighting to enter drains or water courses.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.
----------------------	--

#### 6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Mechanically recover the product. Avoid creating or spreading dust.
Other information	: Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
-------------------------------	--

# ROCA Descaler Sachet / LAUFEN Cleanet descaling agent

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ensure good ventilation of the work station.  
Storage conditions : Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store in a well-ventilated place. Keep container tightly closed. Store in dry protected location to prevent any moisture contact.  
Incompatible materials : Metals.  
Heat and ignition sources : Presents no particular fire or explosion hazard.  
Information on mixed storage : Keep away from (strong) bases.  
Storage area : Avoid contact with water. during storage.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment symbol(s):



##### 8.2.2.1. Eye and face protection

###### Eye protection:

Safety glasses

##### 8.2.2.2. Skin protection

###### Skin and body protection:

Long sleeved protective clothing

# ROCA Descaler Sachet / LAUFEN Cleanet descaling agent

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Hand protection:

Protective gloves. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Not required for normal conditions of use

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: white.
Appearance	: Granular solid.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not applicable
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: 0.7 – 0.9
pH solution concentration	: 10 %
Viscosity, kinematic	: Not applicable
Solubility	: soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not applicable
Particle size	: Not available

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# ROCA Descaler Sachet / LAUFEN Cleanet descaling agent

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

metals.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

#### sulphamic acid; sulphamic acid; sulfamic acid (5329-14-6)

LD50 oral rat	2140 mg/kg bodyweight Animal: rat, Animal sex: female, Remarks on results: other:
LD50 oral	> 3160 mg/kg bodyweight RTECS No
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal	> 2000 mg/kg bodyweight

#### sodium carbonate (497-19-8)

LD50 oral rat	2800 mg/kg bodyweight Animal: rat
LD50 oral	4090 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:
LD50 dermal	> 2000 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	2300 mg/l

Skin corrosion/irritation : Causes skin irritation.  
pH: 0.7 – 0.9

#### sulphamic acid; sulphamic acid; sulfamic acid (5329-14-6)

pH	1.2
----	-----

#### sodium carbonate (497-19-8)

pH	≈ 11.6 Concentration: (≈)0,1 other:
----	-------------------------------------

Serious eye damage/irritation : Causes serious eye irritation.  
pH: 0.7 – 0.9

#### sulphamic acid; sulphamic acid; sulfamic acid (5329-14-6)

pH	1.2
----	-----

# ROCA Descaler Sachet / LAUFEN Cleanet descaling agent

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

sodium carbonate (497-19-8)	
pH	≈ 11.6 Concentration: (≈)0,1 other:
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified

sulphamic acid; sulphamic acid; sulfamic acid (5329-14-6)	
NOAEL (animal/female, F1)	500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPP 83-4 (Reproduction and Fertility Effects)
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

ROCA Descaler Sachet / LAUFEN Cleanet descaling agent	
Viscosity, kinematic	Not applicable

sulphamic acid; sulphamic acid; sulfamic acid (5329-14-6)	
Viscosity, kinematic	Not applicable

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: We have no quantitative data concerning the ecological effects of this product.
Ecology - water	: Harmful to aquatic life with long lasting effects. May cause pH changes in aqueous ecological systems.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.

sulphamic acid; sulphamic acid; sulfamic acid (5329-14-6)	
LC50 - Fish [1]	70.3 mg/l
EC50 - Crustacea [1]	71.6 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	71.6 mg/l waterflea
EC50 - Other aquatic organisms [2]	29.5 mg/l
EC50 72h - Algae [1]	48 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	33.8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
LOEC (chronic)	34 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	19 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

# ROCA Descaler Sachet / LAUFEN Cleanet descaling agent

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

sulphamidic acid; sulphamic acid; sulfamic acid (5329-14-6)	
NOEC chronic fish	≥ 60 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '34 d'
sodium carbonate (497-19-8)	
LC50 - Fish [1]	300 mg/l
EC50 - Crustacea [1]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.
EC50 - Crustacea [2]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.
EC50 - Other aquatic organisms [1]	265 mg/l waterflea

### 12.2. Persistence and degradability

ROCA Descaler Sachet / LAUFEN Cleanet descaling agent	
Persistence and degradability	Rapidly degradable

### 12.3. Bioaccumulative potential

sulphamidic acid; sulphamic acid; sulfamic acid (5329-14-6)	
Partition coefficient n-octanol/water (Log Pow)	-4.34
sodium carbonate (497-19-8)	
Partition coefficient n-octanol/water (Log Pow)	-6.19

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

ROCA Descaler Sachet / LAUFEN Cleanet descaling agent	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
European List of Waste (LoW, EC 2000/532)	: 20 01 29* - detergents containing dangerous substances
R/D code (Recovery/Disposal, EU 2008/98)	: D10 - Incineration on land

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

# ROCA Descaler Sachet / LAUFEN Cleanet descaling agent

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA
<b>14.1. UN number or ID number</b>		
UN 2967	UN 2967	UN 2967
<b>14.2. UN proper shipping name</b>		
SULPHAMIC ACID	SULPHAMIC ACID	Sulphamic acid
<b>Transport document description</b>		
UN 2967 SULPHAMIC ACID, 8, III, (E)	UN 2967 SULPHAMIC ACID, 8, III	UN 2967 Sulphamic acid, 8, III
<b>14.3. Transport hazard class(es)</b>		
8	8	8
		
<b>14.4. Packing group</b>		
III	III	III
<b>14.5. Environmental hazards</b>		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-A EmS-No. (Spillage): S-B	Dangerous for the environment: No
No supplementary information available		

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)	: C2
Limited quantities (ADR)	: 5kg
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Special packing provisions (ADR)	: B3
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T1
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Bulk (ADR)	: VC1, VC2, AP7
Hazard identification number (Kemler No.)	: 80
Orange plates	: 

Tunnel restriction code (ADR) : E

#### Transport by sea

Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P002, LP02

# ROCA Descaler Sachet / LAUFEN Cleanet descaling agent

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: T1
Tank special provisions (IMDG)	: TP33
Stowage category (IMDG)	: A
Segregation (IMDG)	: SGG1, SG36, SG49
Properties and observations (IMDG)	: White crystalline powder. Soluble in water. Decomposes when heated, evolving toxic fumes. Causes burns to skin, eyes and mucous membranes.

### Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y845
PCA limited quantity max net quantity (IATA)	: 5kg
PCA packing instructions (IATA)	: 860
PCA max net quantity (IATA)	: 25kg
CAO packing instructions (IATA)	: 864
CAO max net quantity (IATA)	: 100kg
Special provisions (IATA)	: A803
ERG code (IATA)	: 8L

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Other information, restriction and prohibition regulations : In the scope of Annex VIII to CLP. Detergent Regulation.

#### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

#### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

# ROCA Descaler Sachet / LAUFEN Cleanet descaling agent

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 15.1.2. National regulations

#### Germany

Employment restrictions	: Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).
Water hazard class (WGK)	: WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).
Storage class (LGK, TRGS 510)	: LGK 13 - Non-combustible solids.
Joint storage not permitted for	: LGK 1, LGK 6.2, LGK 7.
Joint storage with restrictions permitted for	: LGK 4.1A, LGK 5.1C.
Joint storage permitted for	: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 4.3, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13.
Major Accidents Ordinance (12. BImSchV)	: Is not subject to the Major Accidents Ordinance (12. BImSchV)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Indication of changes

Section	Changed item	Comments
	Supersedes version of	Added
	Revision date	Added
1.1	Product code	Modified
1.1	Trade name	Modified
1.1	Name	Modified
1.1	UFI on SDS 1.1	Added

### Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods

# ROCA Descaler Sachet / LAUFEN Cleanet descaling agent

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:	
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Full text of H- and EUH-statements:	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H290	May be corrosive to metals.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.